



# SK Storage Tanks from HDPE

## Dimensions and Weights

### Media group 1

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Height of cy- linder inch	total height inch approx.	installation	
					indoors weight	outdoors weight
530	60,0	61,0	49,5	64,0	243 lbs	243 lbs
665	60,0	61,0	62,0	76,0	265 lbs	265 lbs
795	60,0	61,0	73,0	88,0	309 lbs	309 lbs
925	60,0	61,0	85,0	100,0	353 lbs	353 lbs
1 060	60,0	61,0	97,0	112,0	375 lbs	375 lbs
1 325	60,0	61,0	119,0	133,0	463 lbs	463 lbs
1 325	75,0	77,0	75,0	87,0	463 lbs	463 lbs
1 585	60,0	61,0	142,0	157,0	529 lbs	529 lbs
1 585	75,0	77,0	91,0	103,0	507 lbs	507 lbs
1 850	75,0	77,0	105,0	117,0	573 lbs	573 lbs
2 115	75,0	77,0	119,0	130,0	639 lbs	639 lbs
2 380	75,0	77,0	134,0	146,0	705 lbs	705 lbs
2 380	99,0	100,0	79,0	94,0	728 lbs	728 lbs
2 645	75,0	77,0	148,0	160,0	772 lbs	772 lbs
2 645	99,0	100,0	87,0	102,0	772 lbs	772 lbs
3 170	75,0	78,0	178,0	190,0	904 lbs	904 lbs
3 170	99,0	101,0	105,0	120,0	882 lbs	882 lbs
3 965	99,0	101,0	128,0	143,0	1014 lbs	1014 lbs
5 285	99,0	102,0	172,0	187,0	1301 lbs	1301 lbs
5 285	119,0	121,0	121,0	138,0	1367 lbs	1367 lbs
6 605	99,0	102,0	213,0	228,0	1653 lbs	1653 lbs
6 605	119,0	122,0	150,0	168,0	1653 lbs	1653 lbs
7 925	99,0	103,0	254,0	270,0	2072 lbs	2072 lbs
7 925	119,0	122,0	180,0	197,0	2028 lbs	2028 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgur Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath



# SK Storage Tanks from HDPE

## Dimensions and Weights

### Media group 2

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Height of cy- linder inch	total height inch approx.	installation	
					indoors weight	outdoors weight
530	60,0	61,0	49,5	64,0	243 lbs	243 lbs
665	60,0	61,0	62,0	76,0	265 lbs	265 lbs
795	60,0	61,0	73,0	88,0	309 lbs	309 lbs
925	60,0	61,0	85,0	100,0	353 lbs	353 lbs
1 060	60,0	61,0	97,0	112,0	375 lbs	375 lbs
1 325	60,0	61,0	119,0	133,0	463 lbs	463 lbs
1 325	75,0	77,0	75,0	87,0	463 lbs	463 lbs
1 585	60,0	61,0	142,0	157,0	529 lbs	529 lbs
1 585	75,0	77,0	91,0	103,0	507 lbs	507 lbs
1 850	75,0	77,0	105,0	117,0	595 lbs	595 lbs
2 115	75,0	77,0	119,0	130,0	661 lbs	661 lbs
2 380	75,0	78,0	134,0	146,0	705 lbs	705 lbs
2 380	99,0	100,0	79,0	94,0	728 lbs	728 lbs
2 645	75,0	78,0	148,0	160,0	772 lbs	772 lbs
2 645	99,0	101,0	87,0	102,0	794 lbs	794 lbs
3 170	75,0	78,0	178,0	190,0	926 lbs	926 lbs
3 170	99,0	101,0	105,0	120,0	882 lbs	882 lbs
3 965	99,0	102,0	128,0	143,0	1036 lbs	1036 lbs
5 285	99,0	102,0	172,0	187,0	1367 lbs	1367 lbs
5 285	119,0	121,0	121,0	138,0	1411 lbs	1411 lbs
6 605	99,0	103,0	213,0	228,0	1764 lbs	1764 lbs
6 605	119,0	122,0	150,0	168,0	1742 lbs	1742 lbs
7 925	99,0	104,0	254,0	270,0	2183 lbs	2183 lbs
7 925	119,0	123,0	180,0	198,0	2116 lbs	2116 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgener Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath



# SK Storage Tanks from HDPE

## Dimensions and Weights

### Media group 3

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Height of cy- linder inch	total height inch approx.	installation	
					indoors weight	outdoors weight
530	60,0	61,0	49,5	64,0	243 lbs	243 lbs
665	60,0	61,0	62,0	76,0	287 lbs	287 lbs
795	60,0	61,0	73,0	88,0	309 lbs	309 lbs
925	60,0	61,0	85,0	100,0	353 lbs	353 lbs
1 060	60,0	61,0	97,0	112,0	397 lbs	397 lbs
1 325	60,0	61,0	119,0	133,0	485 lbs	485 lbs
1 325	75,0	77,0	75,0	87,0	463 lbs	463 lbs
1 585	60,0	62,0	142,0	157,0	551 lbs	551 lbs
1 585	75,0	77,0	91,0	103,0	507 lbs	507 lbs
1 850	75,0	77,0	105,0	117,0	595 lbs	595 lbs
2 115	75,0	78,0	119,0	131,0	661 lbs	661 lbs
2 380	75,0	78,0	134,0	147,0	728 lbs	728 lbs
2 380	99,0	101,0	79,0	94,0	750 lbs	750 lbs
2 645	75,0	78,0	148,0	160,0	772 lbs	772 lbs
2 645	99,0	101,0	87,0	102,0	794 lbs	794 lbs
3 170	75,0	78,0	178,0	190,0	926 lbs	926 lbs
3 170	99,0	101,0	105,0	120,0	904 lbs	904 lbs
3 965	99,0	102,0	128,0	143,0	1080 lbs	1080 lbs
5 285	99,0	103,0	172,0	187,0	1411 lbs	1411 lbs
5 285	119,0	122,0	121,0	138,0	1433 lbs	1433 lbs
6 605	99,0	104,0	213,0	228,0	1874 lbs	1874 lbs
6 605	119,0	123,0	150,0	168,0	1852 lbs	1852 lbs
7 925	99,0	104,0	254,0	270,0	2293 lbs	2293 lbs
7 925	119,0	123,0	180,0	198,0	2205 lbs	2205 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgur Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath



# SK Storage Tanks from HDPE

## Dimensions and Weights

### Media group 4

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Height of cy- linder inch	total height inch approx.	installation	
					indoors weight	outdoors weight
530	60,0	61,0	49,5	64,0	243 lbs	243 lbs
665	60,0	61,0	62,0	76,0	265 lbs	265 lbs
795	60,0	61,0	73,0	88,0	309 lbs	309 lbs
925	60,0	61,0	85,0	100,0	353 lbs	353 lbs
1 060	60,0	61,0	97,0	112,0	375 lbs	375 lbs
1 325	60,0	61,0	119,0	133,0	463 lbs	463 lbs
1 325	75,0	77,0	75,0	87,0	463 lbs	463 lbs
1 585	60,0	62,0	142,0	157,0	529 lbs	529 lbs
1 585	75,0	77,0	91,0	103,0	529 lbs	529 lbs
1 850	75,0	78,0	105,0	117,0	595 lbs	595 lbs
2 115	75,0	78,0	119,0	131,0	661 lbs	661 lbs
2 380	75,0	78,0	134,0	147,0	728 lbs	728 lbs
2 380	99,0	101,0	79,0	94,0	750 lbs	750 lbs
2 645	75,0	78,0	148,0	160,0	794 lbs	794 lbs
2 645	99,0	101,0	87,0	102,0	794 lbs	794 lbs
3 170	75,0	78,0	178,0	190,0	926 lbs	926 lbs
3 170	99,0	102,0	105,0	120,0	904 lbs	904 lbs
3 965	99,0	102,0	128,0	144,0	1080 lbs	1080 lbs
5 285	99,0	103,0	172,0	187,0	1411 lbs	1411 lbs
5 285	119,0	122,0	121,0	138,0	1477 lbs	1477 lbs
6 605	99,0	104,0	213,0	228,0	1830 lbs	1830 lbs
6 605	119,0	123,0	150,0	168,0	1852 lbs	1852 lbs
7 925	99,0	104,0	254,0	270,0	2271 lbs	2271 lbs
7 925	119,0	123,0	180,0	198,0	2183 lbs	2183 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgener Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath



# SK Storage Tanks from HDPE

## Dimensions and Weights

### Media group 5

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Height of cy- linder inch	total height inch approx.	installation	
					indoors weight	outdoors weight
530	60,0	61,0	49,5	64,0	243 lbs	243 lbs
665	60,0	61,0	62,0	76,0	287 lbs	287 lbs
795	60,0	61,0	73,0	88,0	309 lbs	309 lbs
925	60,0	61,0	85,0	100,0	353 lbs	353 lbs
1 060	60,0	61,0	97,0	112,0	397 lbs	397 lbs
1 325	60,0	62,0	119,0	133,0	485 lbs	485 lbs
1 325	75,0	77,0	75,0	87,0	463 lbs	463 lbs
1 585	60,0	62,0	142,0	157,0	551 lbs	551 lbs
1 585	75,0	78,0	91,0	103,0	529 lbs	529 lbs
1 850	75,0	78,0	105,0	117,0	595 lbs	595 lbs
2 115	75,0	78,0	119,0	131,0	661 lbs	661 lbs
2 380	75,0	78,0	134,0	147,0	750 lbs	750 lbs
2 380	99,0	101,0	79,0	94,0	750 lbs	750 lbs
2 645	75,0	78,0	148,0	160,0	794 lbs	794 lbs
2 645	99,0	102,0	87,0	102,0	816 lbs	816 lbs
3 170	75,0	79,0	178,0	190,0	948 lbs	948 lbs
3 170	99,0	102,0	105,0	120,0	948 lbs	948 lbs
3 965	99,0	102,0	128,0	144,0	1124 lbs	1124 lbs
5 285	99,0	104,0	172,0	187,0	1565 lbs	1565 lbs
5 285	119,0	123,0	121,0	138,0	1587 lbs	1587 lbs
6 605	99,0	104,0	213,0	228,0	1984 lbs	1984 lbs
6 605	119,0	123,0	150,0	168,0	2006 lbs	2006 lbs
7 925	99,0	105,0	254,0	270,0	2557 lbs	2557 lbs
7 925	119,0	124,0	180,0	198,0	2469 lbs	2469 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgur Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath



# SK Storage Tanks from HDPE

## Dimensions and Weights

### Media group 6

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Height of cy- linder inch	total height inch approx.	installation	
					indoors weight	outdoors weight
530	60,0	61,0	49,5	64,0	243 lbs	243 lbs
665	60,0	61,0	62,0	76,0	287 lbs	287 lbs
795	60,0	61,0	73,0	88,0	309 lbs	309 lbs
925	60,0	61,0	85,0	100,0	353 lbs	353 lbs
1 060	60,0	61,0	97,0	112,0	397 lbs	397 lbs
1 325	60,0	62,0	119,0	134,0	485 lbs	485 lbs
1 325	75,0	77,0	75,0	87,0	485 lbs	485 lbs
1 585	60,0	62,0	142,0	157,0	551 lbs	551 lbs
1 585	75,0	78,0	91,0	103,0	529 lbs	529 lbs
1 850	75,0	78,0	105,0	117,0	617 lbs	617 lbs
2 115	75,0	78,0	119,0	131,0	661 lbs	661 lbs
2 380	75,0	78,0	134,0	147,0	750 lbs	750 lbs
2 380	99,0	102,0	79,0	94,0	750 lbs	750 lbs
2 645	75,0	79,0	148,0	160,0	794 lbs	794 lbs
2 645	99,0	102,0	87,0	102,0	816 lbs	816 lbs
3 170	75,0	79,0	178,0	190,0	970 lbs	970 lbs
3 170	99,0	102,0	105,0	120,0	948 lbs	948 lbs
3 965	99,0	103,0	128,0	144,0	1124 lbs	1124 lbs
5 285	99,0	104,0	172,0	187,0	1543 lbs	1543 lbs
5 285	119,0	123,0	121,0	139,0	1543 lbs	1543 lbs
6 605	99,0	105,0	213,0	229,0	1984 lbs	1984 lbs
6 605	119,0	123,0	150,0	168,0	1962 lbs	1962 lbs
7 925	99,0	106,0	254,0	270,0	2579 lbs	2579 lbs
7 925	119,0	125,0	180,0	198,0	2425 lbs	2425 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgur Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath



# SK Storage Tanks from HDPE

## Dimensions and Weights

### Media group 7

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Height of cy- linder inch	total height inch approx.	installation	
					indoors weight	outdoors weight
530	60,0	61,0	49,5	64,0	243 lbs	243 lbs
665	60,0	61,0	62,0	76,0	287 lbs	287 lbs
795	60,0	61,0	73,0	88,0	331 lbs	331 lbs
925	60,0	61,0	85,0	100,0	353 lbs	353 lbs
1 060	60,0	62,0	97,0	112,0	397 lbs	397 lbs
1 325	60,0	62,0	119,0	134,0	485 lbs	485 lbs
1 325	75,0	78,0	75,0	87,0	485 lbs	485 lbs
1 585	60,0	63,0	142,0	157,0	573 lbs	573 lbs
1 585	75,0	78,0	91,0	103,0	551 lbs	551 lbs
1 850	75,0	78,0	105,0	117,0	617 lbs	617 lbs
2 115	75,0	78,0	119,0	131,0	683 lbs	683 lbs
2 380	75,0	78,0	134,0	147,0	772 lbs	772 lbs
2 380	99,0	102,0	79,0	94,0	882 lbs	882 lbs
2 645	75,0	79,0	148,0	160,0	860 lbs	860 lbs
2 645	99,0	102,0	87,0	102,0	926 lbs	926 lbs
3 170	75,0	79,0	178,0	190,0	1102 lbs	1102 lbs
3 170	99,0	102,0	105,0	120,0	1080 lbs	1080 lbs
3 965	99,0	103,0	128,0	144,0	1345 lbs	1345 lbs
5 285	99,0	104,0	172,0	187,0	1786 lbs	1786 lbs
5 285	119,0	123,0	121,0	139,0	1720 lbs	1720 lbs
6 605	99,0	105,0	213,0	229,0	2381 lbs	2381 lbs
6 605	119,0	124,0	150,0	168,0	2205 lbs	2205 lbs
7 925	99,0	107,0	254,0	270,0	3108 lbs	3108 lbs
7 925	119,0	125,0	180,0	198,0	2668 lbs	2668 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgener Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath



# SK Storage Tanks from HDPE

## Dimensions and Weights

Media group 8

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Height of cy- linder inch	total height inch approx.	installation	
					indoors weight	outdoors weight
530	60,0	61,0	49,5	64,0	243 lbs	243 lbs
665	60,0	61,0	62,0	76,0	287 lbs	287 lbs
795	60,0	62,0	73,0	88,0	331 lbs	331 lbs
925	60,0	62,0	85,0	100,0	375 lbs	375 lbs
1 060	60,0	62,0	97,0	112,0	419 lbs	419 lbs
1 325	60,0	63,0	119,0	134,0	507 lbs	507 lbs
1 325	75,0	78,0	75,0	88,0	485 lbs	485 lbs
1 585	60,0	63,0	142,0	157,0	595 lbs	595 lbs
1 585	75,0	78,0	91,0	103,0	551 lbs	551 lbs
1 850	75,0	79,0	105,0	117,0	661 lbs	661 lbs
2 115	75,0	79,0	119,0	131,0	750 lbs	750 lbs
2 380	75,0	79,0	134,0	147,0	882 lbs	882 lbs
2 380	99,0	102,0	79,0	95,0	948 lbs	948 lbs
2 645	75,0	80,0	148,0	160,0	992 lbs	992 lbs
2 645	99,0	103,0	87,0	102,0	992 lbs	992 lbs
3 170	75,0	81,0	178,0	190,0	1213 lbs	1213 lbs
3 170	99,0	103,0	105,0	120,0	1213 lbs	1213 lbs
3 965	99,0	104,0	128,0	144,0	1455 lbs	1455 lbs
5 285	99,0	106,0	172,0	188,0	2072 lbs	2072 lbs
5 285	119,0	124,0	121,0	139,0	1962 lbs	1962 lbs
6 605	99,0	107,0	213,0	229,0	2800 lbs	2800 lbs
6 605	119,0	125,0	150,0	168,0	2535 lbs	2535 lbs
7 925	99,0	108,0	254,0	271,0	3638 lbs	3638 lbs
7 925	119,0	127,0	180,0	198,0	3131 lbs	3131 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgener Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath





# SK Storage Tanks from HDPE

## Dimensions and Weights

### Media group 9

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Height of cy- linder inch	total height inch approx.	installation	
					indoors weight	outdoors weight
530	60,0	62,0	49,5	64,5	243 lbs	243 lbs
665	60,0	62,0	62,0	76,0	309 lbs	309 lbs
795	60,0	63,0	73,0	88,0	353 lbs	353 lbs
925	60,0	63,0	85,0	100,0	419 lbs	419 lbs
1 060	60,0	63,0	97,0	112,0	463 lbs	463 lbs
1 325	60,0	64,0	119,0	134,0	595 lbs	595 lbs
1 325	75,0	79,0	75,0	88,0	551 lbs	551 lbs
1 585	60,0	65,0	142,0	158,0	794 lbs	794 lbs
1 585	75,0	80,0	91,0	103,0	705 lbs	705 lbs
1 850	75,0	81,0	105,0	117,0	838 lbs	838 lbs
2 115	75,0	81,0	119,0	131,0	970 lbs	970 lbs
2 380	75,0	82,0	134,0	147,0	1168 lbs	1168 lbs
2 380	99,0	104,0	79,0	95,0	1124 lbs	1124 lbs
2 645	75,0	82,0	148,0	161,0	1323 lbs	1323 lbs
2 645	99,0	104,0	87,0	102,0	1279 lbs	1279 lbs
3 170	75,0	83,0	178,0	190,0	1742 lbs	1742 lbs
3 170	99,0	106,0	105,0	121,0	1543 lbs	1543 lbs
3 965	99,0	107,0	128,0	145,0	1984 lbs	1984 lbs
5 285	99,0	109,0	172,0	188,0	2954 lbs	2954 lbs
5 285	119,0	127,0	121,0	139,0	2579 lbs	2579 lbs
6 605	99,0	111,0	213,0	230,0	4145 lbs	4145 lbs
6 605	119,0	130,0	150,0	169,0	3505 lbs	3505 lbs
7 925	99,0	114,0	254,0	271,0	5776 lbs	5776 lbs
7 925	119,0	131,0	180,0	199,0	4586 lbs	4586 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgener Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath



# SK Retention Tanks from HDPE

## Dimensions and Weights

### Media group 1

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Cylinder hight indoors inch	Cylinder hight outdoors inch	installation	
					indoors weight	outdoors weight
530	75,0	77,0	37,5	43,5	220 lbs	243 lbs
665	75,0	77,0	49,0	54,0	265 lbs	276 lbs
795	75,0	77,0	60,0	65,0	309 lbs	326 lbs
925	75,0	77,0	71,0	77,0	353 lbs	375 lbs
1 060	75,0	77,0	82,0	89,0	397 lbs	441 lbs
1 325	75,0	77,0	105,0	113,0	485 lbs	529 lbs
1 325	99,0	100,0	59,0	68,0	441 lbs	463 lbs
1 585	75,0	77,0	127,0	136,0	573 lbs	617 lbs
1 585	99,0	100,0	73,0	82,0	485 lbs	529 lbs
1 850	99,0	100,0	88,0	96,0	573 lbs	617 lbs
2 115	99,0	100,0	102,0	111,0	639 lbs	683 lbs
2 380	99,0	100,0	116,0	125,0	705 lbs	838 lbs
2 380	119,0	120,0	63,0	70,0	529 lbs	573 lbs
2 645	99,0	100,0	128,0	141,0	772 lbs	926 lbs
2 645	119,0	120,0	72,0	80,0	595 lbs	639 lbs
3 170	99,0	100,0	156,0	170,0	926 lbs	1235 lbs
3 170	119,0	120,0	90,0	97,0	705 lbs	750 lbs
3 965	119,0	120,0	112,0	119,0	882 lbs	1036 lbs
5 285	119,0	121,0	153,0	163,0	1146 lbs	1499 lbs
5 285	138,0	140,0	103,0	110,0	970 lbs	1058 lbs
6 605	119,0	121,0	193,0	204,0	1455 lbs	2094 lbs
6 605	138,0	141,0	132,0	139,0	1235 lbs	1609 lbs
7 925	119,0	122,0	234,0	247,0	1742 lbs	2712 lbs
7 925	138,0	141,0	160,0	169,0	1499 lbs	2050 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgener Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath



# SK Retention Tanks from HDPE

## Dimensions and Weights

### Media group 2

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Cylinder hight indoors inch	Cylinder hight outdoors inch	installation	
					indoors weight	outdoors weight
530	75,0	77,0	37,5	43,5	220 lbs	243 lbs
665	75,0	77,0	49,0	54,0	265 lbs	287 lbs
795	75,0	77,0	60,0	65,0	309 lbs	331 lbs
925	75,0	77,0	71,0	77,0	353 lbs	375 lbs
1 060	75,0	77,0	82,0	89,0	397 lbs	441 lbs
1 325	75,0	77,0	105,0	113,0	485 lbs	529 lbs
1 325	99,0	100,0	59,0	68,0	441 lbs	463 lbs
1 585	75,0	77,0	127,0	136,0	573 lbs	617 lbs
1 585	99,0	100,0	73,0	82,0	485 lbs	529 lbs
1 850	99,0	100,0	88,0	96,0	573 lbs	617 lbs
2 115	99,0	100,0	102,0	111,0	639 lbs	683 lbs
2 380	99,0	100,0	116,0	125,0	705 lbs	838 lbs
2 380	119,0	120,0	63,0	70,0	529 lbs	573 lbs
2 645	99,0	100,0	128,0	141,0	772 lbs	926 lbs
2 645	119,0	120,0	72,0	80,0	595 lbs	639 lbs
3 170	99,0	100,0	156,0	170,0	948 lbs	1257 lbs
3 170	119,0	120,0	90,0	97,0	705 lbs	750 lbs
3 965	119,0	120,0	112,0	119,0	882 lbs	1058 lbs
5 285	119,0	121,0	153,0	163,0	1168 lbs	1543 lbs
5 285	138,0	140,0	103,0	110,0	970 lbs	1058 lbs
6 605	119,0	121,0	193,0	204,0	1477 lbs	2094 lbs
6 605	138,0	141,0	132,0	139,0	1279 lbs	1675 lbs
7 925	119,0	122,0	234,0	247,0	1830 lbs	2712 lbs
7 925	138,0	141,0	160,0	169,0	1499 lbs	2050 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgener Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath



# SK Retention Tanks from HDPE

## Dimensions and Weights

Media group 3

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Cylinder hight indoors inch	Cylinder hight outdoors inch	installation	
					indoors weight	outdoors weight
530	75,0	77,0	37,5	43,5	220 lbs	243 lbs
665	75,0	77,0	49,0	54,0	265 lbs	287 lbs
795	75,0	77,0	60,0	65,0	309 lbs	331 lbs
925	75,0	77,0	71,0	77,0	353 lbs	375 lbs
1 060	75,0	77,0	82,0	89,0	397 lbs	441 lbs
1 325	75,0	77,0	105,0	113,0	485 lbs	529 lbs
1 325	99,0	100,0	59,0	68,0	419 lbs	463 lbs
1 585	75,0	77,0	127,0	136,0	573 lbs	617 lbs
1 585	99,0	100,0	73,0	82,0	485 lbs	529 lbs
1 850	99,0	100,0	88,0	96,0	573 lbs	617 lbs
2 115	99,0	100,0	102,0	111,0	639 lbs	683 lbs
2 380	99,0	100,0	116,0	125,0	705 lbs	838 lbs
2 380	119,0	120,0	63,0	70,0	529 lbs	573 lbs
2 645	99,0	100,0	128,0	141,0	794 lbs	948 lbs
2 645	119,0	120,0	72,0	80,0	595 lbs	639 lbs
3 170	99,0	101,0	156,0	170,0	948 lbs	1257 lbs
3 170	119,0	120,0	90,0	97,0	728 lbs	772 lbs
3 965	119,0	120,0	112,0	119,0	882 lbs	1036 lbs
5 285	119,0	121,0	153,0	163,0	1213 lbs	1565 lbs
5 285	138,0	141,0	103,0	110,0	1014 lbs	1124 lbs
6 605	119,0	122,0	193,0	204,0	1543 lbs	2161 lbs
6 605	138,0	141,0	132,0	139,0	1301 lbs	1675 lbs
7 925	119,0	122,0	234,0	247,0	1962 lbs	2601 lbs
7 925	138,0	142,0	160,0	169,0	1609 lbs	2138 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgener Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath



# SK Retention Tanks from HDPE

## Dimensions and Weights

### Media group 4

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Cylinder hight indoors inch	Cylinder hight outdoors inch	installation	
					indoors weight	outdoors weight
530	75,0	77,0	37,5	43,5	220 lbs	243 lbs
665	75,0	77,0	49,0	54,0	265 lbs	287 lbs
795	75,0	77,0	60,0	65,0	309 lbs	331 lbs
925	75,0	77,0	71,0	77,0	353 lbs	375 lbs
1 060	75,0	77,0	82,0	89,0	397 lbs	441 lbs
1 325	75,0	77,0	105,0	113,0	485 lbs	529 lbs
1 325	99,0	100,0	59,0	68,0	419 lbs	463 lbs
1 585	75,0	77,0	127,0	136,0	573 lbs	617 lbs
1 585	99,0	100,0	73,0	82,0	485 lbs	617 lbs
1 850	99,0	100,0	88,0	96,0	573 lbs	617 lbs
2 115	99,0	100,0	102,0	111,0	639 lbs	683 lbs
2 380	99,0	100,0	116,0	125,0	728 lbs	860 lbs
2 380	119,0	120,0	63,0	70,0	529 lbs	573 lbs
2 645	99,0	101,0	128,0	141,0	794 lbs	948 lbs
2 645	119,0	120,0	72,0	80,0	595 lbs	639 lbs
3 170	99,0	101,0	156,0	170,0	948 lbs	1257 lbs
3 170	119,0	120,0	90,0	97,0	728 lbs	772 lbs
3 965	119,0	121,0	112,0	119,0	904 lbs	1058 lbs
5 285	119,0	121,0	153,0	163,0	1213 lbs	1565 lbs
5 285	138,0	141,0	103,0	110,0	1014 lbs	1124 lbs
6 605	119,0	122,0	193,0	204,0	1543 lbs	2161 lbs
6 605	138,0	142,0	132,0	139,0	1301 lbs	1675 lbs
7 925	119,0	123,0	234,0	247,0	2006 lbs	2601 lbs
7 925	138,0	142,0	160,0	169,0	1631 lbs	2138 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgener Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath



# SK Retention Tanks from HDPE

## Dimensions and Weights

### Media group 5

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Cylinder hight indoors inch	Cylinder hight outdoors inch	installation	
					indoors weight	outdoors weight
530	75,0	77,0	37,5	43,5	220 lbs	243 lbs
665	75,0	77,0	49,0	54,0	265 lbs	287 lbs
795	75,0	77,0	60,0	65,0	309 lbs	331 lbs
925	75,0	77,0	71,0	77,0	353 lbs	375 lbs
1 060	75,0	77,0	82,0	89,0	397 lbs	441 lbs
1 325	75,0	77,0	105,0	113,0	485 lbs	529 lbs
1 325	99,0	100,0	59,0	68,0	419 lbs	463 lbs
1 585	75,0	77,0	127,0	136,0	595 lbs	639 lbs
1 585	99,0	100,0	73,0	82,0	485 lbs	529 lbs
1 850	99,0	100,0	88,0	96,0	573 lbs	617 lbs
2 115	99,0	100,0	102,0	111,0	661 lbs	705 lbs
2 380	99,0	101,0	116,0	125,0	728 lbs	860 lbs
2 380	119,0	120,0	63,0	70,0	529 lbs	573 lbs
2 645	99,0	101,0	128,0	141,0	794 lbs	970 lbs
2 645	119,0	120,0	72,0	80,0	617 lbs	661 lbs
3 170	99,0	101,0	156,0	170,0	970 lbs	1279 lbs
3 170	119,0	121,0	90,0	97,0	728 lbs	772 lbs
3 965	119,0	121,0	112,0	119,0	904 lbs	1102 lbs
5 285	119,0	122,0	153,0	163,0	1279 lbs	1631 lbs
5 285	138,0	141,0	103,0	110,0	1080 lbs	1168 lbs
6 605	119,0	123,0	193,0	204,0	1698 lbs	2271 lbs
6 605	138,0	142,0	132,0	139,0	1389 lbs	1742 lbs
7 925	119,0	123,0	234,0	247,0	2116 lbs	2668 lbs
7 925	138,0	143,0	160,0	169,0	1786 lbs	2205 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgener Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath



# SK Retention Tanks from HDPE

## Dimensions and Weights

Media group 6

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Cylinder hight indoors inch	Cylinder hight outdoors inch	installation	
					indoors weight	outdoors weight
530	75,0	77,0	37,5	43,5	220 lbs	243 lbs
665	75,0	77,0	49,0	54,0	265 lbs	287 lbs
795	75,0	77,0	60,0	65,0	309 lbs	331 lbs
925	75,0	77,0	71,0	77,0	353 lbs	375 lbs
1 060	75,0	77,0	82,0	89,0	397 lbs	441 lbs
1 325	75,0	77,0	105,0	113,0	485 lbs	529 lbs
1 325	99,0	100,0	59,0	68,0	419 lbs	463 lbs
1 585	75,0	77,0	127,0	136,0	595 lbs	617 lbs
1 585	99,0	100,0	73,0	82,0	485 lbs	529 lbs
1 850	99,0	100,0	88,0	96,0	573 lbs	617 lbs
2 115	99,0	101,0	102,0	111,0	661 lbs	705 lbs
2 380	99,0	101,0	116,0	125,0	728 lbs	860 lbs
2 380	119,0	120,0	63,0	70,0	573 lbs	617 lbs
2 645	99,0	101,0	128,0	141,0	794 lbs	948 lbs
2 645	119,0	120,0	72,0	80,0	617 lbs	661 lbs
3 170	99,0	102,0	156,0	170,0	970 lbs	1279 lbs
3 170	119,0	121,0	90,0	97,0	728 lbs	772 lbs
3 965	119,0	121,0	112,0	119,0	948 lbs	1124 lbs
5 285	119,0	122,0	153,0	163,0	1301 lbs	1653 lbs
5 285	138,0	142,0	103,0	110,0	1080 lbs	1168 lbs
6 605	119,0	123,0	193,0	204,0	1720 lbs	2271 lbs
6 605	138,0	142,0	132,0	139,0	1411 lbs	1675 lbs
7 925	119,0	123,0	234,0	247,0	2138 lbs	2910 lbs
7 925	138,0	143,0	160,0	169,0	1830 lbs	2227 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgener Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath



# SK Retention Tanks from HDPE

## Dimensions and Weights

Media group 7

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Cylinder hight indoors inch	Cylinder hight outdoors inch	installation	
					indoors weight	outdoors weight
530	75,0	77,0	37,5	43,5	220 lbs	243 lbs
665	75,0	77,0	49,0	54,0	265 lbs	287 lbs
795	75,0	77,0	60,0	65,0	309 lbs	331 lbs
925	75,0	77,0	71,0	77,0	353 lbs	375 lbs
1 060	75,0	77,0	82,0	89,0	397 lbs	441 lbs
1 325	75,0	77,0	105,0	113,0	507 lbs	529 lbs
1 325	99,0	100,0	59,0	68,0	419 lbs	463 lbs
1 585	75,0	77,0	127,0	136,0	595 lbs	639 lbs
1 585	99,0	100,0	73,0	82,0	507 lbs	551 lbs
1 850	99,0	101,0	88,0	96,0	595 lbs	639 lbs
2 115	99,0	101,0	102,0	111,0	661 lbs	705 lbs
2 380	99,0	101,0	116,0	125,0	750 lbs	882 lbs
2 380	119,0	120,0	63,0	70,0	573 lbs	617 lbs
2 645	99,0	101,0	128,0	141,0	860 lbs	1014 lbs
2 645	119,0	121,0	72,0	80,0	661 lbs	750 lbs
3 170	99,0	102,0	156,0	170,0	1014 lbs	1235 lbs
3 170	119,0	121,0	90,0	97,0	816 lbs	838 lbs
3 965	119,0	122,0	112,0	119,0	1014 lbs	1190 lbs
5 285	119,0	123,0	153,0	163,0	1433 lbs	1653 lbs
5 285	138,0	142,0	103,0	110,0	1190 lbs	1257 lbs
6 605	119,0	123,0	193,0	204,0	1962 lbs	2425 lbs
6 605	138,0	143,0	132,0	139,0	1609 lbs	1984 lbs
7 925	119,0	124,0	234,0	247,0	2447 lbs	3064 lbs
7 925	138,0	143,0	160,0	169,0	2094 lbs	2557 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgener Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath





# SK Retention Tanks from HDPE

## Dimensions and Weights

Media group 8

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Cylinder hight indoors inch	Cylinder hight outdoors inch	installation	
					indoors weight	outdoors weight
530	75,0	77,0	37,5	43,5	220 lbs	243 lbs
665	75,0	77,0	49,0	54,0	265 lbs	287 lbs
795	75,0	77,0	60,0	65,0	309 lbs	331 lbs
925	75,0	77,0	71,0	77,0	375 lbs	397 lbs
1 060	75,0	77,0	82,0	89,0	419 lbs	441 lbs
1 325	75,0	78,0	105,0	113,0	507 lbs	551 lbs
1 325	99,0	100,0	59,0	68,0	441 lbs	485 lbs
1 585	75,0	78,0	127,0	136,0	617 lbs	661 lbs
1 585	99,0	101,0	73,0	82,0	507 lbs	551 lbs
1 850	99,0	101,0	88,0	96,0	617 lbs	661 lbs
2 115	99,0	102,0	102,0	111,0	705 lbs	772 lbs
2 380	99,0	102,0	116,0	125,0	794 lbs	904 lbs
2 380	119,0	121,0	63,0	70,0	639 lbs	683 lbs
2 645	99,0	102,0	128,0	141,0	904 lbs	1058 lbs
2 645	119,0	121,0	72,0	80,0	705 lbs	750 lbs
3 170	99,0	102,0	156,0	170,0	1146 lbs	1367 lbs
3 170	119,0	122,0	90,0	97,0	882 lbs	926 lbs
3 965	119,0	122,0	112,0	119,0	1168 lbs	1323 lbs
5 285	119,0	123,0	153,0	163,0	1698 lbs	1940 lbs
5 285	138,0	143,0	103,0	110,0	1411 lbs	1455 lbs
6 605	119,0	124,0	193,0	204,0	2227 lbs	2535 lbs
6 605	138,0	143,0	132,0	139,0	1940 lbs	2161 lbs
7 925	119,0	125,0	234,0	247,0	2954 lbs	3285 lbs
7 925	138,0	144,0	160,0	169,0	2513 lbs	2778 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgener Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath



# SK Retention Tanks from HDPE

## Dimensions and Weights

Media group 9

US dimensions

Capacity gal/nominal	Inside dia- meter inch	Outside dia- meter inch*	Cylinder hight indoors inch	Cylinder hight outdoors inch	installation	
					indoors weight	outdoors weight
530	75,0	77,0	37,5	43,5	220 lbs	243 lbs
665	75,0	77,0	49,0	54,0	287 lbs	309 lbs
795	75,0	78,0	60,0	65,0	331 lbs	353 lbs
925	75,0	78,0	71,0	77,0	397 lbs	419 lbs
1 060	75,0	78,0	82,0	89,0	441 lbs	485 lbs
1 325	75,0	78,0	105,0	113,0	573 lbs	617 lbs
1 325	99,0	102,0	59,0	68,0	485 lbs	529 lbs
1 585	75,0	79,0	127,0	136,0	750 lbs	794 lbs
1 585	99,0	102,0	73,0	82,0	617 lbs	661 lbs
1 850	99,0	102,0	88,0	96,0	705 lbs	772 lbs
2 115	99,0	103,0	102,0	111,0	882 lbs	926 lbs
2 380	99,0	103,0	116,0	125,0	992 lbs	1058 lbs
2 380	119,0	122,0	63,0	70,0	838 lbs	882 lbs
2 645	99,0	104,0	128,0	141,0	1102 lbs	1190 lbs
2 645	119,0	123,0	72,0	80,0	926 lbs	970 lbs
3 170	99,0	104,0	156,0	170,0	1455 lbs	1565 lbs
3 170	119,0	123,0	90,0	97,0	1213 lbs	1235 lbs
3 965	119,0	124,0	112,0	119,0	1521 lbs	1565 lbs
5 285	119,0	126,0	153,0	163,0	2315 lbs	2381 lbs
5 285	138,0	144,0	103,0	110,0	2050 lbs	2094 lbs
6 605	119,0	127,0	193,0	204,0	3241 lbs	3329 lbs
6 605	138,0	146,0	132,0	139,0	2800 lbs	2866 lbs
7 925	119,0	129,0	234,0	247,0	4453 lbs	4674 lbs
7 925	138,0	147,0	160,0	169,0	3682 lbs	3770 lbs

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG  
 Augsburgener Straße 42 · D-86863 Langenneufnach  
 Phone +49 8239 790 · Fax +49 8239 7940  
<http://www.schwaben-kunststoff.de> · [info@schwaben-kunststoff.de](mailto:info@schwaben-kunststoff.de)

\* maximum outside diameter of the bottom plate welded underneath